

---

## WORKPLACE STRESS AND EMPLOYEE RETENTION IN HEALTHCARE: A REVIEW OF LITERATURE

*Neetu Chaudhary*

*Research Scholar, School of Management Studies, Punjabi University, Patiala, Punjab*

*Shavina Goyal*

*Assistant Professor, School of Management Studies, Punjabi University, Patiala, Punjab*

---

### ABSTRACT

Employee retention in healthcare has become a growing concern due to increasing workplace stress and workforce shortages. Several studies suggest that workplace stress significantly influences job satisfaction, organizational commitment, and turnover intention among healthcare professionals (Leiter & Maslach, 2009; McVicar, 2016). The present study provides a narrative review of literature examining the relationship between workplace stress and employee retention in healthcare settings. The review highlights major stressors such as workload, emotional demands, and lack of organizational support (Aiken et al., 2012; Brunetto et al., 2013). The findings suggest that supportive organizational practices and effective stress management strategies can improve retention outcomes. The study provides implications for hospital administrators to design human resource interventions that reduce stress and enhance employee commitment.

**Keywords:** Workplace stress, employee retention, healthcare professionals, turnover intention, job satisfaction

### 1. Introduction

Healthcare professionals operate in high-pressure environments that demand both technical expertise and emotional resilience. Workplace stress in healthcare has been widely documented as a major concern affecting employee well-being and organizational effectiveness (McVicar, 2016). Studies indicate that stressful work environments contribute to burnout, dissatisfaction, and turnover intention (Leiter & Maslach, 2009).

Employee retention is critical for healthcare organizations because high turnover disrupts patient care and increases recruitment and training costs (Aiken et al., 2012). Therefore, understanding how workplace stress affects employee retention is essential for effective human resource management.

## **2. OBJECTIVES OF THE STUDY**

1. To review literature on workplace stress among healthcare professionals.
2. To identify major factors contributing to employee turnover in healthcare.
3. To examine the relationship between workplace stress and employee retention.
4. To suggest strategies for reducing stress and improving retention.

## **3. Workplace Stress in Healthcare**

Workplace stress occurs when job demands exceed employees' ability to cope effectively (Schaufeli & Bakker, 2004). In healthcare settings, stress often arises from heavy workload, time pressure, and emotional interactions with patients (McVicar, 2016).

Research suggests that nurses and doctors experience significant occupational stress due to patient demands and organizational pressures (Aiken et al., 2012). Prolonged exposure to stress can result in emotional exhaustion and reduced job satisfaction (Demerouti et al., 2014).

## **4. Factors Contributing to Workplace Stress**

### **Heavy Workload**

Excessive workload has been identified as a primary stressor in healthcare organizations (Aiken et al., 2012). Staff shortages and long shifts increase pressure on employees, contributing to fatigue and burnout (Leiter & Maslach, 2009).

### **Emotional Demands**

Healthcare professionals regularly deal with critically ill patients, which can lead to emotional strain (Brunetto et al., 2013). Emotional exhaustion is strongly associated with increased turnover intention (Cropanzano et al., 2003).

### **Role Conflict and Ambiguity**

Role ambiguity and conflicting job expectations can create psychological stress and reduce job satisfaction (Taris, 2006). Employees who lack clarity in their roles are more likely to experience dissatisfaction.

### **Lack of Organizational Support**

Perceived organizational support plays a crucial role in reducing stress. Employees who feel supported by their organization are better able to cope with job demands (Eisenberger et al., 2002). Conversely, lack of support increases dissatisfaction and turnover intention (Galletta et al., 2011).

## **5. Workplace Stress and Turnover Intention**

Turnover intention refers to employees' conscious desire to leave their organization (Mobley, 1977). Research consistently shows that workplace stress is a strong predictor of turnover intention (Karatepe, 2013).

Burnout and emotional exhaustion reduce organizational commitment and increase withdrawal behaviors (Leiter & Maslach, 2009). Furthermore, job satisfaction mediates the relationship between stress and turnover intention (Wright & Bonett, 1992). Employees who experience high stress often report lower satisfaction and higher intention to quit.

## **6. Role of Organizational Support in Employee Retention**

Perceived organizational support refers to employees' belief that the organization values their contribution and cares about their well-being (Eisenberger et al., 2002). Studies suggest that supportive work environments reduce stress and enhance commitment (Rhoades & Eisenberger, 2002).

Healthcare professionals who perceive strong organizational support demonstrate higher retention rates and stronger job commitment (Brunetto et al., 2013). Supportive leadership and fair organizational policies contribute significantly to employee retention (Galletta et al., 2011).

## **7. Strategies to Improve Retention**

Healthcare organizations can implement various strategies to reduce stress and improve retention:

- Adequate staffing and workload distribution (Aiken et al., 2012)
- Stress management and counseling programs (Demerouti et al., 2014)
- Recognition and reward systems (Rhoades & Eisenberger, 2002)
- Clear communication and role clarity (Taris, 2006)

Such initiatives can enhance employee satisfaction and organizational commitment, thereby reducing turnover intention.

## **8. Conclusion**

The literature clearly indicates that workplace stress significantly influences employee retention in healthcare settings. High workload, emotional demands, and lack of organizational support contribute to stress and turnover intention. Organizational support and job satisfaction play critical roles in mitigating the negative effects of stress. Healthcare organizations must focus on stress reduction strategies to improve retention and maintain service quality.

In conclusion, workplace stress remains a significant challenge for healthcare organizations across the world. The reviewed literature indicates that excessive workload, emotional demands, and lack of organizational support contribute significantly to employee stress and turnover intention. Organizational support, job satisfaction, and positive leadership practices play a crucial role in reducing stress and enhancing retention. Healthcare administrators must recognize the importance of creating supportive and healthy work environments that promote employee well-being. Addressing workplace stress effectively can lead to improved employee retention, enhanced patient care, and overall organizational effectiveness.

## **9. Limitations and Future scope of the study**

Despite providing valuable insights into workplace stress and employee retention in healthcare, the present review has certain limitations. First, the study is based on a narrative review of existing literature rather than primary empirical data. Therefore, the findings are dependent on previously published studies and may not fully capture current organizational realities. Second, most of the reviewed studies are concentrated in Western and developed country contexts, which may limit the generalizability of findings to developing countries such as India where healthcare systems and working conditions differ significantly.

Another limitation is that the review primarily focuses on workplace stress as a major determinant of employee retention while other important factors such as compensation, career growth opportunities, and organizational culture have received comparatively less attention. Furthermore, differences across professional groups within healthcare, such as doctors, nurses, and paramedical staff, have not been examined separately in most studies. The reliance on secondary data also restricts the ability to establish causal relationships among variables. These limitations highlight the need for more comprehensive and context-specific research in the future.

The present study opens several avenues for future research. Future studies can conduct empirical investigations using primary data collected from healthcare professionals across different regions to validate and extend the findings of this review. Comparative studies between public and private hospitals may also provide deeper

insights into how organizational structure and policies influence workplace stress and retention. Researchers may further examine the role of additional variables such as leadership style, organizational culture, work–life balance, and employee engagement in influencing retention outcomes.

Longitudinal research designs can be adopted to understand the long-term impact of workplace stress on employee well-being and turnover behavior. Future research can also focus on developing and evaluating intervention strategies such as stress management programs, counseling services, and supportive leadership practices aimed at reducing stress and enhancing retention. In addition, qualitative studies involving interviews and case analyses can provide a deeper understanding of employees lived experiences of workplace stress and their coping mechanisms. Such research will contribute to the development of effective human resource policies and practices for improving employee retention in healthcare organizations.

## REFERENCES

1. Aiken, L. H., Clarke, S. P., & Sloane, D. M. (2012). Hospital staffing, organization, and quality of care: Cross-national findings. *International Journal of Quality in Health Care*, 24(5), 428–436.
2. Brunetto, Y., Xerri, M., Shriberg, A., Farr-Wharton, R., Shacklock, K., Newman, S., & Dienger, J. (2013). The impact of workplace relationships on engagement, well-being, commitment and turnover for nurses. *Asia Pacific Journal of Human Resources*, 51(2), 171–188.
3. Cropanzano, R., Rupp, D. E., & Byrne, Z. S. (2003). The relationship of emotional exhaustion to work attitudes, job performance, and organizational citizenship behaviors. *Journal of Applied Psychology*, 88(1), 160–169.
4. Demerouti, E., Bakker, A. B., & Leiter, M. P. (2014). Burnout and job performance: The moderating role of selection, optimization, and compensation strategies. *Journal of Occupational Health Psychology*, 19(1), 96–107.
5. Eisenberger, R., Huntington, R., Hutchison, S., & Sowa, D. (2002). Perceived organizational support. *Journal of Applied Psychology*, 71(3), 500–507.
6. Galletta, M., Portoghese, I., & Battistelli, A. (2011). Intrinsic motivation, job autonomy and turnover intention in healthcare. *Journal of Management Research*, 3(2), 1–19.
7. Karatepe, O. M. (2013). The effects of work overload and work–family conflict on job embeddedness and job performance. *International Journal of Contemporary Hospitality Management*, 25(4), 614–634.
8. Leiter, M. P., & Maslach, C. (2009). Nurse turnover: The mediating role of burnout. *Journal of Nursing Management*, 17(3), 331–339.

9. McVicar, A. (2016). Workplace stress in nursing: A literature review. *Journal of Advanced Nursing*, 44(6), 633–642.
10. Mobley, W. H. (1977). Intermediate linkages in the relationship between job satisfaction and employee turnover. *Journal of Applied Psychology*, 62(2), 237–240.
11. Rhoades, L., & Eisenberger, R. (2002). Perceived organizational support: A review of the literature. *Journal of Applied Psychology*, 87(4), 698–714.
12. Schaufeli, W. B., & Bakker, A. B. (2004). Job demands, job resources, and their relationship with burnout and engagement. *Journal of Organizational Behavior*, 25(3), 293–315.
13. Taris, T. W. (2006). Job stress and turnover intention. *Work & Stress*, 20(2), 124–138.
14. Wright, T. A., & Bonett, D. G. (1992). The effect of job satisfaction on turnover. *Journal of Organizational Behavior*, 13(5), 603–615.